

## Follow-up report No.: 5

Report reference: , OIE Ref: 4748, Report Date: 15/05/2006, Country: Germany

### Report Summary

<b>Disease</b>	Highly pathogenic avian influenza	<b>Animal type</b>	Terrestrial
<b>Causal Agent</b>	Highly pathogenic avian influenza virus	<b>Serotype(s)</b>	H5N1
<b>Clinical Signs</b>	Yes	<b>Reason</b>	Reoccurrence of listed disease
<b>Date of confirmation of Event</b>	14/02/2006	<b>Date of Start of Event</b>	08/02/2006
<b>Report date</b>	15/05/2006	<b>Diagnosis</b>	Laboratory (advanced), Necropsy
<b>Date of last occurrence</b>	05/2003	<b>Number of reported outbreaks</b>	Submitted= 120, Draft= 0
<b>Name of Sender of the report</b>	Mr Werner Zwingmann	<b>Address</b>	Rochusstr. 1 Bonn D-53123
<b>Position</b>	Ministerialdirigent	<b>Telephone</b>	(+49) 228 529 4176
<b>Fax</b>	(+49) 228 529 3867	<b>Email</b>	ual32@bmelv.bund.de
<b>Entered by</b>	Mme Margarita Alonso		

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Steinburg	53,96	9,51	05/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Falconiformes						

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Rendsburg-Eckernförde	54,22	9,77	28/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Podiceps cristatus						

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Rendsburg-Eckernförde	54,22	9,77	24/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		

Affected Population	Anserini
---------------------	----------

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Rendsburg-Eckernförde	54,22	9,77	20/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	5	...	...	...		
Affected Population	Anserini							

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Rendsburg-Eckernförde	54,22	9,77	19/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	4	...	...	...		
Affected Population	Anserini, Falconiformes, Phalacrocorax							

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,24	10,43	25/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Anserini							

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,24	10,43	19/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Falconiformes							

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,24	10,43	12/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Falconiformes							

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Ostholstein	54,17	10,91	19/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
<b>Affected Population</b>		Cygnini, Falconiformes						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Ostvorpommern	53,84	13,65	05/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Weibenburg-Gunzenhausen	49,01	10,92	12/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Weibenburg-Gunzenhausen	49,01	10,92	11/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Straubing-Bogen	48,82	12,48	28/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Straubing, Stadt	48,88	12,59	20/04/2006	

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species	Animals	...	1	...	...	...
Affected Population		Falconiformes				

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Rosenheim	47,91	12,11	18/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Neu-Ulm	48,27	10,16	07/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	24/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Podiceps cristatus						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	19/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	13/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		

Affected Population	Anatinae
---------------------	----------

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Landsberg/Lech	47,99	10,96	12/05/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Mergus							

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Landsberg/Lech	47,99	10,96	28/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Mergus							

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Kelheim	48,83	11,89	13/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Anatinae							

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Fürstenfeldbruck	48,17	11,21	24/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
Affected Population	Anatinae							

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Donau-Ries	48,79	10,72	02/05/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Cygnini							

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Dillingen a.d. Donau	48,57	10,54	18/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
<b>Affected Population</b>		Cygnini, Anatinae						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Dillingen a.d. Donau	48,57	10,54	31/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Deggendorf	48,73	13,01	08/05/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Anatinae						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Deggendorf	48,73	13,01	24/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Sigmaringen	48	9,29	19/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
<b>Affected Population</b>		Anatinae						

**Outbreak (this report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Konstanz	47,81	8,85	20/04/2006	

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species	Animals	...	1	...	...	...
Affected Population		Anatinae				

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Bodenseekreis	47,68	9,45	18/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
Affected Population		Anatinae						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Bodenseekreis	47,68	9,45	12/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	6	...	...	...		
Affected Population		Cygnini, Anatinae						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Märkisch-Oderland	52,52	14,11	09/05/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Falconiformes						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Märkisch-Oderland	52,52	14,11	03/05/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Ciconiidae						

#### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Märkisch-Oderland	52,52	14,11	28/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		

Affected Population	Ciconiidae
---------------------	------------

### Outbreak (this report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Dahme-Spreewald	51,92	13,86	19/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Anserini							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Rendsburg-Eckernförde	54,22	9,77	31/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Falconiformes							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,24	10,43	07/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Falconiformes							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Ostholstein	54,17	10,9	03/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Anserini							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Stralsund, Stadt	54,3	13,05	04/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
Affected Population	Cygini							



**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,35	13,37	06/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	6	...	...	...		
Affected Population		Cygnini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,35	13,37	04/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Cygnini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rostock	54,15	12,1	30/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Ostvorpommern	53,84	13,65	04/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	6	...	...	...		
Affected Population		Cygnini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Bad Doberan	54,02	12,08	17/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Falconiformes						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
NIEDERSACHSEN			Not applicable	Cuxhaven	53,69	8,84	03/04/2006	

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species	Animals	...	1	...	...	...
Affected Population		Laridae				

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BERLIN			Not applicable	Berlin	52,53	13,36	31/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Falconiformes						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Straubing, Stadt	48,88	12,59	30/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Cygnini						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Passau, St.	48,64	13,45	06/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Neustadt a.d. Aisch	49,54	10,43	03/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Cygnini						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Neustadt a.d. Aisch	49,54	10,43	31/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		

Affected Population	Cygnini
---------------------	---------

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	06/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Anatinae							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	31/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
Affected Population	Falconiformes, Anatinae							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Ansbach	49,21	10,48	03/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
Affected Population	Cygnini							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Ansbach	49,21	10,48	31/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Cygnini							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Mannheim, Stadt	49,49	8,51	31/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Fulica atra							

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Uckermark	53,22	13,81	21/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
<b>Affected Population</b>		Cygnini, Falconiformes						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Uckermark	53,22	13,81	16/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Uckermark	53,22	13,81	14/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
<b>Affected Population</b>		Cygnini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Oder-Spree	52,19	14,28	11/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Anserini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Barnim	52,88	13,82	07/04/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Falconiformes						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,23	10,43	27/03/2006	

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species	Animals	...	2	...	...	...
Affected Population		Cygnini, Anatinae				

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,23	10,43	24/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Falconiformes						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,23	10,43	18/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Steinburg	53,96	9,51	17/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Wismar	53,89	11,45	21/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Laridae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,35	13,37	30/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		

Affected Population	Cygnini
---------------------	---------

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,35	13,37	24/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
Affected Population	Falconiformes							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,35	13,37	18/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
Affected Population	Cygnini							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,35	13,37	17/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Cygnini							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Ostvorpommern	53,84	13,65	27/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Cygnini							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Ostvorpommern	53,84	13,65	24/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
Affected Population	Cygnini							

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Nordvorpommern	54,17	12,84	28/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Grey heron						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Nordwestmecklenburg	53,77	11,27	27/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
<b>Affected Population</b>		Falconiformes, Anatinae						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Straubing, Stadt	48,88	12,59	27/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
<b>Affected Population</b>		Cygnini, Falconiformes						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Schwandorf	49,34	12,23	24/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Falconiformes						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Nürnberg, Stadt	49,43	11,06	24/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		Falconiformes						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	23/03/2006	

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species	Animals	...	1	...	...	...
Affected Population		Cygnini				

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	20/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau-Bodensee	47,59	9,68	18/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Erlangen-Höchstadt	49,64	10,9	24/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population		Cygnini						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Erlangen-Höchstadt	49,64	10,9	21/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	4	...	...	...		
Affected Population		Cygnini						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Erlangen-Höchstadt	49,64	10,9	20/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	4	...	...	...		



Affected Population	Cygnini
---------------------	---------

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Augsburg, Stadt	48,33	10,86	23/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Cygnini							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Ansbach	49,21	10,48	24/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Cygnini							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Konstanz	47,81	8,85	17/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Anatinae							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Barnim	52,88	13,82	22/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	Fulica atra							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Barnim	52,88	13,82	17/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	1 Anserini							

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Straubing	48,88	12,59	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Cygnini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Rosenheim	47,91	12,11	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Anatinae						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Passau, St.	48,64	13,45	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Anserini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Neustadt a.d. Aisch	49,57	10,54	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Cygnini						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau/Bodensee	47,59	9,68	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Anatinae						

**Outbreak (other report - submitted)**

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Landsberg/Lech	48,03	10,86	05/03/2006	

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species	Animals	...	1	...	...	...
<b>Affected Population</b>		1 Cygnini				

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Wismar	53,89	11,45	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Ostvorpommern	53,84	13,66	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
<b>Affected Population</b>		1 Cygnini, 1 Falconiforme, 1 Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Nordvorpommern	54,17	12,83	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Falconiforme						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,35	13,37	05/03/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	5	...	...	...		
<b>Affected Population</b>		3 Cygnini, 1 Anserini, 1 Falconiforme						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
NIEDERSACHSEN			Not applicable	Soltau-Fallingbostel	52,95	9,91	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		

Affected Population	1 Anserini
---------------------	------------

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Bamberg	49,83	10,77	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	1 Anatinae							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Passau	48,64	13,45	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	1 Cygnini							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Erlangen-Höchstadt	49,64	10,9	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
Affected Population	2 Cygnini							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Straubing	48,88	12,59	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	1 Anatinae							

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Aichach-Friedberg	48,44384	11,07398	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
Affected Population	1 Cygnini							

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Lindau/Bodensee	47,59854	9,68102	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
<b>Affected Population</b>		2 Anatinae, 1 Falconiforme						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Bad Tölz-Wolfratshausen	47,67004	11,49708	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Anatinae						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BAYERN			Not applicable	Landsberg/Lech	48,04701	10,87106	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
<b>Affected Population</b>		2 Cygnini						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Plön	54,16083	10,41065	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Cygnini						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
SCHLESWIG-HOLSTEIN			Not applicable	Ostholstein	54,1611111	10,7697222	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	4	...	...	...		
<b>Affected Population</b>		1 Cygnini, 2 Anatinae, 1 Falconiforme						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Märkisch-Oderland	52,6928	14,0971	20/02/2006	

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species	Animals	...	1	...	...	...
<b>Affected Population</b>		1 Cygnini				

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BRANDENBURG			Not applicable	Uckermark	53,15	14,5	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Cygnini						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Konstanz	47,4	9,1	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	...	...	...		
<b>Affected Population</b>		2 Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
BADEN-WURTTENBERG			Not applicable	Bodenseekreis	47,7269444	9,3852778	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		
<b>Affected Population</b>		1 Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Wismar	53,9	11,466666	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
<b>Affected Population</b>		3 Anatinae						

#### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Bad Doberan	54,11	11,9	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	...	...	...		

Affected Population	1 Cygnini
---------------------	-----------

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Ostvorpommern	53,9202778	13,6786111	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	3	...	...	...		
Affected Population		2 Cygnini, 1 Falconiforme						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Nordvorpommern	54,2180556	12,8208333	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	6	...	...	...		
Affected Population		2 Cygnini, 2 Anserini, 1 Anatinae, 1 Laridae						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN			Not applicable	Rügen	54,416666	13,433055	20/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	137	...	...	...		
Affected Population		95 Cygnini, 15 Anserini, 7 Anatinae, 7 Falconiformes, 2 Phalacrocorax, 7 Laridae, 2 Corvidae, 1 Mergus, 1 Procipterus cristatus						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN	Rügen Island		Not applicable	Dranske	54,6333	13,2333	08/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	1	1	0	0		
Affected Population		a northern goshawk ( <i>Accipiter gentilis</i> ) found dead.						

### Outbreak (other report - submitted)

Province	District	Sub-district	Unit Type	Location	Latitude	Longitude	Start	End
MECKLENBURG-VORPOMMERN	Rügen Island		Not applicable	Wiek	54,6166667	13,2833333	08/02/2006	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered		
Wild species	Animals	...	2	2	0	0		
Affected Population		four swans (three <i>Cygnus olor</i> and one <i>Cygnus cygnus</i> ) found dead. Avian influenza virus H5N1 has been diagnosed in two of the swans ( <i>Cygnus olor</i> and <i>Cygnus cygnus</i> )						

## Outbreak summary: Total outbreaks = 120 (Submitted)

Species	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Wild species		332	3	0	0

## Epidemiology

Epidemiological comments	Source of Infection	• Unknown or inconclusive
--------------------------	---------------------	---------------------------

## Control Measures

Applied	<ul style="list-style-type: none"> <li>• Movement control inside the country</li> <li>• Screening</li> <li>• Control of wildlife reservoirs</li> <li>• Zoning</li> </ul>	To be applied	• No Planned Control Measures
		Vaccination Prohibited	Yes
Animals treated	No		

## Country / Zone

Country or zone	the whole country
-----------------	-------------------

## Diagnostic test results

Laboratory Type	Name of Laboratory	Species	Test Type	Date Results Provided	Result
OIE's Reference Laboratory	VLA-Weybridge, United Kingdom	Wild species	polymerase chain reaction (PCR)	16/02/2006	Positive
National laboratory	Friedrich-Loeffler-Institut (national reference laboratory)	Wild species	polymerase chain reaction (PCR)	14/02/2006	Positive

## Future Reporting

What further reports will be submitted in relation to this event?
There are 120 outbreaks that are still recorded as unresolved. It is not possible to declare this event resolved until these individual outbreaks are resolved.



## Outbreak map

