

Follow-up report No.: 6

Report reference: , OIE Ref: 4784, Report Date: 19/05/2006, Country: Germany

Report Summary

| | | | |
|--------------------------------------|---|-------------------------------------|---|
| Disease | Highly pathogenic avian influenza | Animal type | Terrestrial |
| Causal Agent | Highly pathogenic avian influenza virus | Serotype(s) | H5N1 |
| Clinical Signs | Yes | Reason | Reoccurrence of a listed disease |
| Date of confirmation of Event | 14/02/2006 | Date of Start of Event | 08/02/2006 |
| Report date | 19/05/2006 | Diagnosis | Clinical, Laboratory (advanced), Necropsy |
| Date of last occurrence | 05/2003 | Number of reported outbreaks | Submitted= 123, Draft= 0 |
| Name of Sender of the report | Mr Werner Zwingmann | Address | Rochusstr. 1 Bonn D-53123 |
| Position | Ministerialdirigent | Telephone | (+49) 228 529 4176 |
| Fax | (+49) 228 529 3867 | Email | ual32@bmelv.bund.de |
| Entered by | Mme Margarita Alonso | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|-------------------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Märkisch-Oderland | 52,52 | 14,11 | 03/05/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Ciconiidae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Donau-Ries | 48,79 | 10,72 | 02/05/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygynini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------------|-----------------|--------------|----------------|-----------------------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Rendsburg-Eckernförde | 54,22 | 9,77 | 28/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|--------------------|
| Affected Population | Podiceps cristatus |
|---------------------|--------------------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Märkisch-Oderland | 52,52 | 14,11 | 28/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Ciconiidae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Straubing-Bogen | 48,82 | 12,48 | 28/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Cygini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Landsberg/Lech | 47,99 | 10,96 | 28/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Mergus | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,24 | 10,43 | 25/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Anserini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Rendsburg-Eckernförde | 54,22 | 9,77 | 24/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | Anserini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 24/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Podiceps cristatus | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Deggendorf | 48,73 | 13,01 | 24/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Fürstentfeldbruck | 48,17 | 11,21 | 24/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BADEN-WURTTMBERG | | | Not applicable | Konstanz | 47,81 | 8,85 | 20/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Straubing, Stadt | 48,88 | 12,59 | 20/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------------|----------|--------------|----------------|-----------------------|----------|-----------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Rendsburg-Eckernförde | 54,22 | 9,77 | 20/04/2006 | 03/09/2006 |

| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|---------------------|-----------------|-------------|-------|--------|-----------|-------------|
| Wild species | Animals | ... | 5 | ... | ... | ... |
| Affected Population | | Anserini | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--|----------------|-----------------------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Rendsburg-Eckernförde | 54,22 | 9,77 | 19/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 4 | ... | ... | ... | | |
| Affected Population | | Anserini, Falconiformes, Phalacrocorax | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,24 | 10,43 | 19/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|------------------------|----------------|-------------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Ostholstein | 54,17 | 10,91 | 19/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygnini, Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Dahme-Spreewald | 51,92 | 13,86 | 19/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anserini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------|-----------------|--------------|----------------|------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Deggendorf | 48,73 | 13,01 | 08/05/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|----------|
| Affected Population | Anatinae |
|---------------------|----------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Märkisch-Oderland | 52,52 | 14,11 | 09/05/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Falconiformes | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Landsberg/Lech | 47,99 | 10,96 | 12/05/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Mergus | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 19/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Anatinae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------|-----------|-------------|------------|------------|
| BADEN-WURTTENBERG | | | Not applicable | Sigmaringen | 48 | 9,29 | 19/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | Anatinae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-------------------|--------------|----------------|----------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Dillingen a.d. Donau | 48,57 | 10,54 | 18/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | Cygnini, Anatinae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|---------------|-----------|-------------|------------|------------|
| BADEN-WURTTEMBERG | | | Not applicable | Bodenseekreis | 47,68 | 9,45 | 18/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Rosenheim | 47,91 | 12,11 | 18/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 13/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Kelheim | 48,83 | 11,89 | 13/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,24 | 10,43 | 12/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------|----------|--------------|----------------|-------------------------|----------|-----------|------------|------------|
| BAYERN | | | Not applicable | Weibenburg-Gunzenhausen | 49,01 | 10,92 | 12/04/2006 | 03/09/2006 |

| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|---------------------|-----------------|-------------|-------|--------|-----------|-------------|
| Wild species | Animals | ... | 1 | ... | ... | ... |
| Affected Population | | Cygnini | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|-------------------|----------------|---------------|-----------|-------------|------------|------------|
| BADEN-WURTTENBERG | | | Not applicable | Bodenseekreis | 47,68 | 9,45 | 12/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 6 | ... | ... | ... | | |
| Affected Population | | Cygnini, Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|------------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Oder-Spree | 52,19 | 14,28 | 11/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anserini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Weibenburg-Gunzenhausen | 49,01 | 10,92 | 11/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,24 | 10,43 | 07/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Neu-Ulm | 48,27 | 10,16 | 07/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|----------|
| Affected Population | Anatinae |
|---------------------|----------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Barnim | 52,88 | 13,82 | 07/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Falconiformes | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Passau, St. | 48,64 | 13,45 | 06/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Anatinae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 06/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Anatinae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,35 | 13,37 | 06/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 6 | ... | ... | ... | | |
| Affected Population | Cygnini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Steinburg | 53,96 | 9,51 | 05/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Falconiformes | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|---------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Ostvorpommern | 53,84 | 13,65 | 05/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,35 | 13,37 | 04/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|------------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Stralsund, Stadt | 54,3 | 13,05 | 04/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|---------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Ostvorpommern | 53,84 | 13,65 | 04/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 6 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Ansbach | 49,21 | 10,48 | 03/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------|----------|--------------|----------------|---------------------|----------|-----------|------------|------------|
| BAYERN | | | Not applicable | Neustadt a.d. Aisch | 49,54 | 10,43 | 03/04/2006 | 03/09/2006 |

| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|---------------------|-----------------|-------------|-------|--------|-----------|-------------|
| Wild species | Animals | ... | 1 | ... | ... | ... |
| Affected Population | | Cygnini | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Ostholstein | 54,17 | 10,9 | 03/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anserini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| NIEDERSACHSEN | | | Not applicable | Cuxhaven | 53,69 | 8,84 | 03/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Laridae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|-----------------------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Rendsburg-Eckernförde | 54,22 | 9,77 | 31/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Dillingen a.d. Donau | 48,57 | 10,54 | 31/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Ansbach | 49,21 | 10,48 | 31/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|---------|
| Affected Population | Cygnini |
|---------------------|---------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|----------|-----------|-------------|------------|------------|
| BERLIN | | | Not applicable | Berlin | 52,53 | 13,36 | 31/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|-------------------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 31/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | | Falconiformes, Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|---------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Neustadt a.d. Aisch | 49,54 | 10,43 | 31/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BADEN-WURTTENBERG | | | Not applicable | Mannheim, Stadt | 49,49 | 8,51 | 31/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Fulica atra | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Straubing, Stadt | 48,88 | 12,59 | 30/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rostock | 54,15 | 12,1 | 30/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,35 | 13,37 | 30/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Nordvorpommern | 54,17 | 12,84 | 28/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Grey heron | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|-------------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,23 | 10,43 | 27/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygnini, Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|---------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Ostvorpommern | 53,84 | 13,65 | 27/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|----------|--------------|----------------|---------------------|----------|-----------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Nordwestmecklenburg | 53,77 | 11,27 | 27/03/2006 | 03/09/2006 |

| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|---------------------|-----------------|-------------------------|-------|--------|-----------|-------------|
| Wild species | Animals | ... | 2 | ... | ... | ... |
| Affected Population | | Falconiformes, Anatinae | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,23 | 10,43 | 24/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|---------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,35 | 13,37 | 24/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|---------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Ostvorpommern | 53,84 | 13,65 | 24/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Nürnberg, Stadt | 49,64 | 11,06 | 24/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------|-----------------|--------------|----------------|--------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Erlangen-Höchstadt | 49,64 | 10,9 | 24/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|---------|
| Affected Population | Cygnini |
|---------------------|---------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|------------------------|----------------|------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Straubing, Stadt | 48,88 | 12,59 | 27/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygnini, Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Ansbach | 49,21 | 10,48 | 24/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|---------------|----------------|------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Schwandorf | 49,34 | 12,23 | 24/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 23/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Augsburg, Stadt | 48,33 | 10,86 | 23/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Barnim | 52,88 | 13,82 | 22/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Fulica atra | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Wismar | 53,89 | 11,45 | 21/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Laridae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|--------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Erlangen-Höchstadt | 49,64 | 10,9 | 21/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 4 | ... | ... | ... | | |
| Affected Population | | Cygini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|-----------------------|----------------|-----------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Uckermark | 53,22 | 13,81 | 21/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygini, Falconiformes | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|--------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Erlangen-Höchstadt | 49,64 | 10,9 | 20/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 4 | ... | ... | ... | | |
| Affected Population | | Cygini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------|----------|--------------|----------------|-----------------|----------|-----------|------------|------------|
| BAYERN | | | Not applicable | Lindau/Bodensee | 47,59 | 9,68 | 05/03/2006 | 03/09/2006 |

| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|---------------------|-----------------|-------------|-------|--------|-----------|-------------|
| Wild species | Animals | ... | 1 | ... | ... | ... |
| Affected Population | | 1 Anatinae | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 20/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau-Bodensee | 47,59 | 9,68 | 18/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,23 | 10,43 | 18/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,35 | 13,37 | 18/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Steinburg | 53,96 | 9,51 | 17/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|----------|
| Affected Population | Anatinae |
|---------------------|----------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,35 | 13,37 | 17/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Cygnini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|-------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Bad Doberan | 54,02 | 12,08 | 17/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Falconiformes | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BADEN-WURTTENBERG | | | Not applicable | Konstanz | 47,81 | 8,85 | 17/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Anatinae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Barnim | 52,88 | 13,82 | 17/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | 1 Anserini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Uckermark | 53,22 | 13,81 | 16/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | Cygnini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|---------------------------|----------------|---------------|------------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Ostvorpommern | 53,9202778 | 13,6786111 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | | 2 Cygnini, 1 Falconiforme | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--|----------------|----------------|------------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Nordvorpommern | 54,2180556 | 12,8208333 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 6 | ... | ... | ... | | |
| Affected Population | | 2 Cygnini, 2 Anserini, 1 Anatinae, 1 Laridae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|---|----------------|----------|------------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,4166666 | 13,4330555 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 137 | ... | ... | ... | | |
| Affected Population | | 95 Cygnini, 15 Anserini, 7 Anatinae, 7 Falconiformes, 2 Phalacrocorax, 7 Laridae, 2 Corvidae, 1 Mergus, 1 Prodipterus cristatus | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | Rügen Island | | Not applicable | Dranske | 54,63333 | 13,23333 | 08/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | 1 | 0 | 0 | | |
| Affected Population | | a northern goshawk (<i>Accipiter gentilis</i>) found dead. | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|---|----------------|----------|------------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | Rügen Island | | Not applicable | Wiek | 54,6166667 | 13,2833333 | 08/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | 2 | 0 | 0 | | |
| Affected Population | | four swans (three <i>Cygnus olor</i> and one <i>Cygnus cygnus</i>) found dead. Avian influenza virus H5N1 has been diagnosed in two of the swans (<i>Cygnus olor</i> and <i>Cygnus cygnus</i>) | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|-------------|----------|--------------|----------------|-----------|----------|-----------|------------|------------|
| BRANDENBURG | | | Not applicable | Uckermark | 53,22 | 13,81 | 14/03/2006 | 03/09/2006 |

| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|---------------------|-----------------|-------------|-------|--------|-----------|-------------|
| Wild species | Animals | ... | 3 | ... | ... | ... |
| Affected Population | | Cygnini | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Wismar | 53,89 | 11,45 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Landsberg/Lech | 48,03 | 10,86 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Straubing | 48,88 | 12,59 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|---------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Neustadt a.d. Aisch | 49,57 | 10,54 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Rosenheim | 47,91 | 12,11 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|------------|
| Affected Population | 1 Anatinae |
|---------------------|------------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Passau, St. | 48,64 | 13,45 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Anserini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|---------------------------------------|----------------|---------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Ostvorpommern | 53,84 | 13,66 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini, 1 Falconiforme, 1 Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Bad Tölz-Wolfratshausen | 47,67004 | 11,49708 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|----------------------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Lindau/Bodensee | 47,59854 | 9,68102 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | | 2 Anatinae, 1 Falconiforme | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Aichach-Friedberg | 48,44384 | 11,07398 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Straubing | 48,88 | 12,59 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|--------------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Erlangen-Höchstadt | 49,64 | 10,9 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | 2 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Bamberg | 49,83 | 10,77 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Landsberg/Lech | 48,04701 | 10,87106 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | 2 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Plön | 54,16083 | 10,41065 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|--------------------|----------|--------------|----------------|-------------|------------|------------|------------|------------|
| SCHLESWIG-HOLSTEIN | | | Not applicable | Ostholstein | 54,1611111 | 10,7697222 | 20/02/2006 | 03/09/2006 |

| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|----------------------------|-----------------|---------------------------------------|-------|--------|-----------|-------------|
| Wild species | Animals | ... | 4 | ... | ... | ... |
| Affected Population | | 1 Cygnini, 2 Anatinae, 1 Falconiforme | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|----------------------|-----------|-------------|------------|------------|
| NIEDERSACHSEN | | | Not applicable | Soltau-Fallingbostal | 52,95 | 9,91 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Anserini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|-------------------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Märkisch-Oderland | 52,6928 | 14,0971 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| BRANDENBURG | | | Not applicable | Uckermark | 53,15 | 14,5 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | 1 Cygnini | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|----------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BADEN-WURTTENBERG | | | Not applicable | Konstanz | 47,4 | 9,1 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | 2 Anatinae | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|-------------------|-----------------|--------------|----------------|---------------|------------|-------------|------------|------------|
| BADEN-WURTTENBERG | | | Not applicable | Bodenseekreis | 47,7269444 | 9,3852778 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |

| | |
|---------------------|------------|
| Affected Population | 1 Anatinae |
|---------------------|------------|

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Wismar | 53,9 | 11,466666 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 3 | ... | ... | ... | | |
| Affected Population | 3 Anatinae | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|-------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Bad Doberan | 54,11 | 11,9 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | 1 Cygnini | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|-----------------|--------------|----------------|----------------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Nordvorpommern | 54,17 | 12,83 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | 1 Falconiforme | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|------------------------|---------------------------------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| MECKLENBURG-VORPOMMERN | | | Not applicable | Rügen | 54,35 | 13,37 | 05/03/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 5 | ... | ... | ... | | |
| Affected Population | 3 Cygnini, 1 Anserini, 1 Falconiforme | | | | | | | |

Outbreak (other report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Passau | 48,64 | 13,45 | 20/02/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | 1 Cygnini | | | | | | | |

Outbreak (this report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Straubing-Bogen | 48,82 | 12,48 | 27/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 2 | ... | ... | ... | | |
| Affected Population | | Cygnini | | | | | | |

Outbreak (this report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Augsburg, Stadt | 48,33 | 10,86 | 14/04/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Strigiformes | | | | | | |

Outbreak (this report - submitted)

| Province | District | Sub-district | Unit Type | Location | Latitude | Longitude | Start | End |
|---------------------|-----------------|--------------|----------------|-----------|-----------|-------------|------------|------------|
| BAYERN | | | Not applicable | Altötting | 48,22 | 12,67 | 12/05/2006 | 03/09/2006 |
| Species | Measuring units | Susceptible | Cases | Deaths | Destroyed | Slaughtered | | |
| Wild species | Animals | ... | 1 | ... | ... | ... | | |
| Affected Population | | Anatinae | | | | | | |

Outbreak summary: Total outbreaks = 123 (Submitted)

| Species | Susceptible | Cases | Deaths | Destroyed | Slaughtered |
|--------------|-------------|-------|--------|-----------|-------------|
| Wild species | | 336 | 3 | 0 | 0 |

Epidemiology

| | | |
|--------------------------|---------------------|---------------------------|
| Epidemiological comments | Source of Infection | • Unknown or inconclusive |
|--------------------------|---------------------|---------------------------|

Control Measures

| | | | |
|-----------------|---------------------------------------|------------------------|-------------------------------|
| Applied | • Movement control inside the country | To be applied | • No Planned Control Measures |
| | • Screening | Vaccination Prohibited | Yes |
| Animals treated | No | | |

Country / Zone

| | |
|-----------------|-------------------|
| Country or zone | the whole country |
|-----------------|-------------------|

Diagnostic test results

| Laboratory Type | Name of Laboratory | Species | Test Type | Date Results Provided | Result |
|----------------------------|---|--------------|---------------------------------|-----------------------|----------|
| OIE's Reference Laboratory | VLA-Weybridge, United Kingdom | Wild species | polymerase chain reaction (PCR) | 16/02/2006 | Positive |
| National laboratory | Friedrich-Loeffler-Institut (national reference laboratory) | Wild species | polymerase chain reaction (PCR) | 14/02/2006 | Positive |

Future Reporting

What further reports will be submitted in relation to this event? The event is resolved. No more reports will be submitted.

Outbreak map

